


```
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
interface Ethernet0/0  
  no ip address  
!  
interface Ethernet0/0.100  
  encapsulation dot1Q 10  
  ip address 172.168.10.1 255.255.255.0  
!  
interface Ethernet0/0.200  
  encapsulation dot1Q 200  
  ip address 142.200.64.254 255.255.255.0  
!  
interface Ethernet0/1  
  no ip address  
  shutdown  
!  
interface Ethernet0/2  
  no ip address  
  shutdown  
!  
interface Ethernet0/3  
  no ip address  
  shutdown  
!  
interface Ethernet1/0  
  no ip address  
  shutdown  
!  
interface Ethernet1/1  
  no ip address  
  shutdown  
!  
interface Ethernet1/2  
  no ip address  
  shutdown  
!  
interface Ethernet1/3  
  no ip address  
  shutdown  
!  
interface Serial2/0  
  ip address 10.10.10.2 255.255.255.0  
  serial restart-delay 0  
!  
interface Serial2/1  
  no ip address  
  shutdown  
  serial restart-delay 0  
!  
interface Serial2/2
```



```
exec-timeout 0 0
privilege level 15
logging synchronous
line vty 0 4
  login
  transport input none
!
!
end

r2#
```